

## Spis treści

<b>Bioliquids</b>	<b>25</b>
Structural Insight into the Function of the mitochondrial Bcl-2 Membrane Protein <i>Jörgen Ådén, Umeå University</i>	26
Unraveling the structural basis for the exceptional stability of RNA G-quadruplexes capped by the GGU sequence at the 3' terminus <i>Witold Andrałojć, Instytut Chemii Bioorganicznej PAN</i>	27
A kinetic study of the magnetic alignment of phospholipid bicelles <i>Breno Barbosa, UFMG</i>	28
MicroRNA function through structural dynamics <i>Lorenzo Baronti, Karolinska Institutet</i>	29
The role of CTD tyrosine phosphorylation in recruitment of the elongation factor Spt6 <i>Pavel Brazda, CEITEC MU</i>	30
Real-time multidimensional NMR: a complementary off-equilibrium tool for structural biology <i>Bernhard Brutscher, Institut de Biologie Structurale</i>	31
Dead End protects mRNAs from miRNA-mediated repression through an unprecedented mode of tandem RRM-RNA recognition <i>Malgorzata Duszcyk, ETH Zürich, D-BIOL, Institute of Molecular Biology &amp; Biophysics</i>	32
Conformational Switch of the Bacterial Adhesin FimH in the Absence of the Regulatory Domain - An Allosteric System in a Nutshell <i>Brigitte Fiege, University of Basel</i>	33
Conformational selection in the recognition of dimethylarginine ligands by SMN Tudor domains <i>Gerd Gemmecker, BNMRZ, TU München</i>	34
Application of solution NMR spectroscopy for studies of very large unlabelled proteins: perspectives for biopharmaceutical development <i>Alexander Golovanov, The University of Manchester</i>	35
A double-TROSY 4D HN(CA)NH experiment with diagonal-suppression for backbone assignment in large proteins <i>Michał Jakub Górka, Faculty of Physics, University of Warsaw</i>	36
NMR studies of human MeCP2 - large protein with long disordered regions <i>Katarzyna Grudziqż, Faculty of Chemistry, Biological and Chemical Research Centre, University of Warsaw, Warsaw, Poland</i>	37
Conformational dynamics of the receiver domain of sensor histidine kinase CKI1 from <i>Arabidopsis thaliana</i> <i>Zuzana Jaseňáková, Masaryk University, CEITEC MU</i>	38
Structural and enzymatic characterization of acetolactate decarboxylase from <i>Bacillus subtilis</i> <i>Fangling Ji, Dalian University of Technology</i>	39
Structural insights into mechanism of peptide bond condensation of non-ribosomal peptide synthetases <i>Megha Karanth, Leibniz Universität Hannover</i>	40

<b>NMR reveals order in disordered proteins</b> <i>Robert Konrat, University of Vienna</i>	41
<b>Conformational preferences of a synthetic fragment derived from the Zika virus surface glycoprotein</b> <i>Roberto Kopke Salinas, University of Sao Paulo</i>	42
<b>Immersion depths of lipid carbons in bicelles measured by paramagnetic relaxation enhancement</b> <i>Jobst Liebau, Stockholm University</i>	43
<b>The phosphorylation kinetics of tyrosine hydroxylase and its interaction with 14-3-3ζ protein studied by NMR</b> <i>Petr Lousa, Masaryk University, CEITEC MU</i>	44
<b>NMR structure of two TDP-43 proteins bound to long UG-rich RNA reveals a functional dimer interface required for splicing regulation</b> <i>Peter Josef Lukavsky, CEITEC, Masaryk University</i>	45
<b>Using the deuterium isotope effect to detect arginine salt bridges in solution by NMR spectroscopy</b> <i>Harry Mackenzie, UCB Celltech</i>	46
<b>Molecular recognition of cellulose and cellulose fragments by carbohydrate-binding modules</b> <i>Marcus Michaelis, University of Potsdam</i>	47
<b>Structural basis and energy landscape for the Ca<sup>2+</sup>-gating and calmodulation of the Kv7.2 K<sup>+</sup> channel</b> <i>Oscar Millet, CIC bioGUNE</i>	48
<b>Studying the large fragments of single-pass membrane proteins by NMR in solution</b> <i>Konstantin Mineev, Institute of Bioorganic Chemistry RAS, senior researcher</i>	49
<b>Paxillin: Structural Basis of Focal Adhesion Targeting</b> <i>Heiko M. Möller, University of Potsdam</i>	50
<b>Structural basis for PHD<sub>NSD1</sub>C5HCH<sub>Nizp1</sub>-C2HR<sub>Nizp1</sub> interaction: implications for Sotos syndrome</b> <i>Giovanna Musco, S. Raffaele Scientific Institute</i>	51
<b>How does BacSp222 kill bacteria?</b> <i>Michał Nowakowski, Faculty of Chemistry, Warsaw University, Pasteura 1, 02-093 Warsaw, Poland</i>	52
<b>Structural basis for transthyretin amyloidosis</b> <i>Javier Oroz, DZNE/Max Planck</i>	53
<b>Domain-specific structural changes during biomimetic spinning of artificial spider silk</b> <i>Martins Otikovs, Latvian Institute of Organic Synthesis</i>	54
<b>Simulation of PRE data for flexible ATCUN and TEMPO spin labels in decapping complexes</b> <i>Jan Overbeck, Max Planck Institute for Developmental Biology</i>	55
<b>The Nedd4-1 WW domain recognizes the PY motif peptide through couple folding-binding equilibria</b> <i>Vineet Panwalkar, Institute of Complex Systems 6, Forschungszentrum Juelich</i>	56
<b>Structural Study of Rv0599c from Mycobacterium tuberculosis H37 Rv by NMR spectroscopy</b> <i>DongWon Park, College of Pharmacy, Seoul National University</i>	57

<b>Structure and dynamics of <i>A. thaliana</i> TatA in micelles and lipid bilayers studied by solution NMR</b>	
<i>Pontus Pettersson, Stockholm University</i>	58
<b>Characterizing transient Structures of RNA using NMR</b>	
<i>Katja Petzold, Karolinska Institute</i>	59
<b>NMR characterization of new modified nitro-phenyl type photocaged DNA</b>	
<i>György Pintér, Johann Wolfgang Goethe-Universität - Institute für Organische Chemie und Chemische Biologie</i>	60
<b>Fuzzy intramolecular interactions in Src family kinases</b>	
<i>Miquel Pons, University of Barcelona</i>	61
<b>Biophysical studies of bacterial surface proteins</b>	
<i>Jennifer Potts, University of York</i>	62
<b>Bifunctional LIR/UFIM motif within UFM1-activating enzyme 5 (UBA5) interacts with the UFM1 and GABARAP-subfamily proteins and predetermines UBA5 functionality</b>	
<i>Vladimir Rogov, Goethe University Frankfurt</i>	63
<b>Understanding the mechanistic role of the C-terminal tail of <i>E. coli</i> DERA in enzyme catalysis</b>	
<i>Marianne Schulte, Forschungszentrum Juelich</i>	64
<b>NMR-based Mode of Action Analysis of a <i>de novo</i> Compound Targeting <math>\alpha</math>-Synuclein</b>	
<i>Thomas Schwarz, University of Vienna</i>	65
<b>NMR Study of Lactaptin – membrane-active Peptide with cell-penetrating Properties</b>	
<i>Andrey Shernyukov, N.N. Vorozhtsov Novosibirsk Institute of Organic Chemistry SB RAS, Novosibirsk, Russia</i>	66
<b>Structural, dynamics and diffusion data acquired for four transmembrane fragment TM4 of bilitranslocase transporter demonstrate structural and dynamic alterations between SDS and DPC micelles</b>	
<i>Kosma Szutkowski, NanoBioMedical Centre, Adam Mickiewicz University, Poznań, Poland</i>	67
<b>Characterizing post-translational modifications using NMR spectroscopy</b>	
<i>Francois-Xavier Theillet, CNRS</i>	68
<b>Metal binding of the Biomarker Heparin-25</b>	
<i>Marija Vranic, University Potsdam</i>	69
<b>NMR of Structure, Dynamics and Interactions of a GPCR in Micelles and Nanodiscs</b>	
<i>Gerhard Wagner, Harvard University</i>	70
<b>Automated Analysis of Protein NMR Data with Machine Learning</b>	
<i>Michał Walczak, Indata SA</i>	71
<b>Conformational landscape and active conformation of the Dcp1:Dcp2 mRNA decapping complex</b>	
<i>J. Philip Wurm, MPI for Developmental Biology Tuebingen</i>	72
<b>Study of Bacteriorhodopsin in a Controlled Lipid Environment</b>	
<i>Vivien Yeh, Academia Sinica</i>	73
<b>Characterization of protein-excipient interactions in biopharmaceutical formulations using NMR spectroscopy</b>	
<i>Matja Zalar, University of Manchester</i>	74
<b>Studying intrinsically disordered proteins using cross-correlated relaxation experiments</b>	
<i>Anna, Zawadzka-Kazmierczuk, Max F. Perutz Laboratories, University of Vienna</i>	75

<b>Human prion protein at physiological pH: structural plasticity and dynamic processes</b> <i>Igor Zhukov, Institute of Biochemistry and Biophysics, Polish Academy of Sciences</i>	76
<b>NMR experiments optimized for large disordered proteins revealed striking differences between microtubule-associated proteins 2c and Tau</b> <i>Lukas Zidek, Masaryk University, CEITEC MU</i>	77
<b>A structural description of the nucleoskeleton-chromatin interface: role of intrinsically disordered regions</b> <i>Sophie Zinn-Justin, I2BC CEA/CNRS/Uni Paris South</i>	78
<b>A multidisciplinary study of Sp140 SUMOylation</b> <i>Chiara Zucchelli, S. Raffaele Scientific Institute</i>	79
<b>SSA reconstruction improves NUS 5D spectra sensitivity</b> <i>Szymon Żerko, Faculty of Chemistry, University of Warsaw</i>	80
<hr/>	
<b>Biosolids</b>	<b>81</b>
<b>Deuterium NMR Spectroscopy for Structure and Dynamics of Protein</b> <i>Umit Akbey, Aarhus University</i>	82
<b>MAS NMR spectroscopy on a protonated tetrapyrrole model system</b> <i>Susanne Altmayer, Universität Leipzig</i>	83
<b>In-situ solid-state NMR</b> <i>Marc Baldus, Utrecht University</i>	84
<b>Solid State Nuclear Magnetic Resonance investigation of peptides of the LAH4 family in interaction with nucleic acid and model membranes</b> <i>Philippe Bertani, University of Strasbourg</i>	85
<b>Evaluation of fish freshness via 2D J-resolved NMR spectroscopy in combination with pattern recognition methods</b> <i>Shuhui Cai, Xiamen University</i>	86
<b>Indirect <sup>14</sup>N detection methods for structural analysis of proteins in solid-state NMR</b> <i>Maria Concistre, University of Southampton</i>	87
<b>Investigation of alpha-synuclein aggregates by cryogenic DNP enhanced NMR</b> <i>Riza Dervisoglu, Max Planck Institute for Biophysical Chemistry</i>	88
<b>Achieving hyperpolarisation with parahydrogen</b> <i>Simon Duckett, University of York</i>	89
<b>Optimized and selective (hyper)polarization usage</b> <i>Manuel Etzkorn, Heinrich-Heine-University Duesseldorf</i>	90
<b>Hyperpolarized <sup>13</sup>C<sub>6</sub>-d<sub>7</sub>-D-glucose has longer T1 at 1.5 K than hyperpolarized <sup>13</sup>C-pyruvate</b> <i>Michał Fiedorowicz, Mossakowski Medical Research Centre, PAS</i>	91
<b>Optimal control of spin dynamics: Widening the perspective to entire pulse sequences</b> <i>Steffen Glaser, Technical University of Munich</i>	92
<b>The awesome power of Fluorine NMR – ligand binding, PREs and other applications</b> <i>Angela Gronenborn, University of Pittsburgh</i>	93
<b>Cholesterol-mediated allosteric regulation of the mitochondrial translocator protein structure</b> <i>Garima Jaipuria, Deutsches Zentrum für Neurodegenerative Erkrankungen</i>	94

<b>A cross-platform format to associate NMR-extracted data (NMReDATA) to chemical structures</b>	
<i>Damien Jeannerat, Department of organic chemistry</i>	95
<b>Interaction between the human Prion Protein and Amyloid beta oligomers as seen by solid-state MAS-NMR</b>	
<i>Anna Koenig, Forschungszentrum Juelich</i>	96
<b>NMR Characterization of Silicones, Silanes and Hydrosilylation Catalysts</b>	
<i>Axel Kretschmer, Dow Corning</i>	97
<b>Structure and dynamics of small proteins by NMR</b>	
<i>Nina Kubatova, Goethe University Frankfurt am Main</i>	98
<b>Different conformational states of the ABC transporter BmrA studied by solid-state NMR</b>	
<i>Denis Lacabanne, CNRS - MMSB</i>	99
<b>Conformational plasticity in the NaK channel revealed by solid-state NMR</b>	
<i>Adam Lange, Leibniz-Forschungsinstitut fuer Molekulare Pharmakologie im Forschungsverbund Berlin e. V. - FMP</i>	100
<b>Solid-state NMR studies on the Hepatitis B core protein reveal polymorphisms within T4 capsids</b>	
<i>Lauriane Lecoq, CNRS - MMSB</i>	101
<b>NMR-led investigations of biomolecular complexes</b>	
<i>Józef Lewandowski, Department of Chemistry/University of Warwick</i>	102
<b>Functional amyloids involved in programmed cell death investigated by solid-state NMR</b>	
<i>Antoine Loquet, CNRS</i>	103
<b>Solid-state NMR approach for structural studies of RNA</b>	
<i>Alexander Marchanka, Centre of Biomolecular Drug Research, Leibniz University of Hannover, Hannover, Germany</i>	104
<b>NMR probe design: Fundamentals and practical details for builders and power users</b>	
<i>Rachel Martin, Department of Chemistry</i>	105
<b>Cellular Solid State NMR to Investigate the Assembly of a Bacterial Type IV Secretion System</b>	
<i>Siddarth Narasimhan, Utrecht University</i>	106
<b>Structural Analysis of Human Cofilin 2 Bound to Filamentous Actin by MAS NMR</b>	
<i>Tatyana Polenova, University of Delaware</i>	107
<b>NMR studies of antibody light chain aggregates using solution- and MAS solid-state NMR</b>	
<i>Bernd Reif, Helmholtz-Zentrum München</i>	108
<b>Unraveling hydrogen bond network in theophylline-pyridoxine salt co-crystal by solid-state NMR</b>	
<i>Federica Rossi, University of Torino</i>	109
<b>Slow conformational dynamics detected by <sup>1</sup>H solid-state rotating frame relaxation</b>	
<i>Petra Rovó, Ludwig-Maximilians-Universität München</i>	110
<b>NMR structure determination of RNA tetraloops as reference systems for MD force field reparametrization</b>	
<i>Robbin Schnieders, Goethe University Frankfurt am Main</i>	111



<b>Conformational plasticity in the NaK channel revealed by solid-state NMR</b>	112
<i>Chaowei Shi, Leibniz-Institut fuer Molekulare Pharmakologie</i>	
<b>Access to side-chain protons with &gt;100 kHz MAS</b>	113
<i>Jan Stanek, Institut des Sciences Analytiques (UMR5280 - CNRS/ENS/UCB Lyon 1)</i>	
<b>A dynamic protein-lipid complex at the mitochondrial membrane/solvent interface that triggers apoptosis</b>	114
<i>Patrick van der Wel, University of Pittsburgh</i>	
<b>Proton-detected Solid-state NMR to Distinguish the Hairpin and the Extended Duplex Structure of a Dimeric RNA in Crystals</b>	115
<i>Shenlin Wang, Peking University</i>	
<b>Proton Assisted Recoupling: new features for selective recoupling at higher magnetic field</b>	116
<i>Kai Xue, Helmholtz zentrum Muenchen</i>	
<hr/>	
<b>Computational</b>	<b>117</b>
<i>SpinDynamica - Magnetic Resonance in Mathematica</i>	118
<i>Christian Bengs, School of Chemistry, University of Southampton</i>	118
<b>Backbone plus side chain assignments from overnight experiments</b>	119
<i>Martin Billeter, University of Gothenburg</i>	
<b>Scalable quantum computation based on quantum actuated nuclear-spin decoherence-free qubits</b>	120
<i>Lihong Dong, University of Science and Technology of China</i>	
<b>Spectral Estimation for Ultrahigh-Resolution NMR at Full Sensitivity</b>	121
<i>Mohammadali Foroozandeh, The University of Manchester</i>	
<b>Smoothed Optimal Control Solutions giving Robust Magnetisation-to-Singlet Transfer</b>	122
<i>David Goodwin, University of Southampton</i>	
<b>Constrained Optimal Control Solutions for MRI using Quadratically Convergent Optimisation</b>	123
<i>David Goodwin, University of Southampton</i>	
<b>Feedback Control Optimisation of X-band ESR Experiments</b>	124
<i>David Goodwin, University of Southampton</i>	
<b>Automated biomolecular NMR spectrum analysis for protein structure and dynamics</b>	125
<i>Peter Güntert, Goethe University Frankfurt</i>	
<b>Sequence Specificity in the Entropy-Driven Binding of a Small Molecule and a Disordered Peptide</b>	126
<i>Gabriella Heller, Department of Chemistry, University of Cambridge</i>	
<b>Predictive modeling of chemical shift using quantum chemical calculation and machine learning</b>	127
<i>Kengo Ito, RIKEN CSRS</i>	
<b>The RigiFlex approach to ensemble modelling of large biomolecular complexes</b>	128
<i>Gunnar Jeschke, ETH Zurich</i>	
<b>Compensating for high data sparseness using ambiguous structure fragment restraints in CYANA</b>	129
<i>Sina Kazemi, Institute of Biophysical Chemistry - Goethe-University Frankfurt</i>	

<b>Time evolution of spin systems in a generalized Wigner representation</b>	130
<i>Balint Koczor, Technische Universität München</i>	
<b>B<sub>0</sub> field instability, T<sub>1</sub>-noise and means to suppress it</b>	131
<i>Maxim Mayzel, Swedish NMR Centre, University of Gothenburg</i>	
<b>First-principle calculations applied to niobium oxide compounds</b>	132
<i>Evgeniy Papulovskiy, Boreskov Institute of Catalysis</i>	
<b>Acquisition, processing and analysis of high-resolution 5D NMR spectra for IDPs</b>	133
<i>Yulia Pustovalova, University of Gothenburg</i>	
<b>INFOS: Spectrum Fitting for NMR Analysis</b>	134
<i>Albert Smith, ETH Zurich</i>	
<b>Exploring Systematic Discrepancies in DFT Calculations of Chlorine Nuclear Quadrupole Couplings</b>	135
<i>Ondřej Socha, IOCB Prague</i>	
<b>The influence of fast molecular motions on NMR parameters in Pb(NO<sub>3</sub>)<sub>2</sub></b>	136
<i>Łukasz Szeleszczuk, Department of Physical Chemistry, Faculty of Pharmacy, Medical University of Warsaw</i>	
<b>Calculating Flexibly Docked Complexes from Sparse NMR Data. FusB-EFG an 100kDa Complex</b>	137
<i>Gary Thompson, School of Biosciences, University of Kent</i>	
<b>Chemical shift extremum of <sup>129</sup>Xe(aq) reveals details of hydrophobic solvation</b>	138
<i>Juha Vaara, University of Oulu</i>	
<b>Principles of protein structural ensemble determination</b>	139
<i>Michele Vendruscolo, University of Cambridge</i>	
<b>SpinEvolution – new developments and applications</b>	140
<i>Mikhail Veshtort, SpinEvolution Software</i>	
<b>Electron donor and acceptor group effects on the <sup>13</sup>C NMR chemical shift in substituted benzenes</b>	141
<i>Renan Vidal Viesser, University of Campinas</i>	

<b>EPR</b>	<b>142</b>
<b>EPR study of supramolecular assemblies of human ribosome and RNAs</b>	143
<i>Elena Bagryanskaya, N.N.Vorozhtsov Novosibirsk Institute of Organic Chemistry SB RAS</i>	
<b>EPR study of guest molecule-influenced magnetism in kagome metal-organic framework</b>	144
<i>Juras Banys, Faculty of Physics, Vilnius University, Vilnius, Lithuania</i>	
<b>From EPR to DNP: Polarization Transfer between Electron and Nuclear Spin to Study Biomolecules</b>	145
<i>Marina Bennati, Max Planck Institute for Biophysical Chemistry</i>	
<b>Electrically detected magnetic resonance spectroscopy of organic semiconductor materials</b>	146
<i>Christoph Boehme, University of Utah</i>	
<b>Probing the EPR signals within an orthogonal three-spin model system</b>	147
<i>Alice Bowen, University of Oxford</i>	

<b>Structure-Reactivity Relationships in Heterogeneous Catalysis Revealed by Advanced EPR Techniques</b>	
<i>Mario Chiesa, University of Torino</i>	148
<b>Determination of helix orientations in highly flexible DNAs by multi-frequency EPR spectroscopy</b>	
<i>Claudia Maria Grytz, Goethe University Frankfurt</i>	149
<b>Structure of the proton:fumarate symporter SLC26Dg in lipid environment studied with EPR spectroscopy</b>	
<i>Eva Jaumann, Goethe University Frankfurt, Germany</i>	150
<b>Saccharides as prospective immobilizers of biopolymers for structural EPR studies</b>	
<i>Olesya Krumkacheva, International Tomography Center SB RAS</i>	151
<b>From nano-magnetite to nano-wüstite: structural evolution characterized by the EPR spectroscopy</b>	
<i>Chun-Rong Lin, National Pingtung University</i>	152
<b>Products of bisphenol A degradation: DFT, EPR and cytotoxicity in human erythrocytes (in vitro) studies</b>	
<i>Katerina Makarova, Medical University of Warsaw</i>	153
<b>Probing the Electronic Structure of the Copper(II) Complex of a Derivative of Di-2-pyridyl Ketone by Continuous Wave- and Pulse-EPR Spectroscopy</b>	
<i>George Mitrikas, NCSR Demokritos</i>	154
<b>A multi-frequency CW and pulsed EPR study on the B-class dye-decolorizing peroxidases from <i>K. pneumonia</i> and <i>E. coli</i></b>	
<i>Kevin Nys, University of Antwerp</i>	155
<b>Dipolar spectroscopy with broadband pulses</b>	
<i>Thomas Prisner, Goethe-Universität</i>	156
<b>Multi-pulse high resolution correlation spectroscopy on NV centers in diamond</b>	
<i>Ganesh Rahane, Max Planck Institute for Biophysical Chemistry</i>	157
<b>Experimental protection the coherence of a molecular qubit exceeding a millisecond</b>	
<i>Xing Rong, University of Science and Technology of China</i>	158
<b>Characterization of MOF nanosheets and composites by EPR</b>	
<i>Philipp Schleker, Max Planck Institute for Chemical Energy Conversion, Mülheim an der Ruhr</i>	159
<b>EPR of structural phase transitions in dense perovskite formate frameworks</b>	
<i>Mantas Simenas, Faculty of Physics, Vilnius University, Vilnius, Lithuania</i>	160
<b>Local electrostatics and dielectric constants by side-directed spin-labeling EPR of ionizable nitroxides</b>	
<i>Alex Smirnov, Department of Chemistry</i>	161
<b>smFRET and DEER distance measurements as applied to disordered and structured proteins</b>	
<i>Tatyana Smirnova, North Carolina State University</i>	162
<b>EPR Characterisation at 9T for DNP NMR</b>	
<i>Murari Soundararajan, Ecole Polytechnique Federale de Lausanne</i>	163
<b>ENDOR performance at 263 GHz/9.3 Tesla</b>	
<i>Igor Tkach, Max Planck Institute for Biophysical Chemistry</i>	164
<b>Morphology dependence of electron paramagnetic resonance study on <math>\text{Fe}_x\text{Cu}_{1-x}\text{Cr}_2\text{Se}_4</math> nanoparticles</b>	
<i>Yawteng Tseng Tseng, National Pingtung University</i>	165



<b>Helical jackknives control the gates of the double-pore K<sup>+</sup> uptake system KtrAB</b>	166
<i>Dorith Wunnicke, Goethe University Frankfurt</i>	
<b>New Gd(III) tags via C-S conjugation for DEER distance measurements in-vitro and in-cell</b>	167
<i>Yin Yang, weizmann institute of science</i>	
<b>DEER and RIDME Spectroscopy with High-Spin Metal Centers</b>	168
<i>Maxim Yulikov, ETH Zurich</i>	
<hr/>	
<b>Exotica and hardware</b>	<b>169</b>
<b>On-chip capacitors for MACS NMR detectors</b>	170
<i>Shyamsundar Adhikari, Institute of Microstructure Technology, KIT</i>	
<b>Low cost, compact, two-channel NMR spectrometer for CP-DNP</b>	171
<i>Mohammed M. Albannay, HYPERMAG - DTU</i>	
<b>Zero dead time inductive spin detection using LC-tank VCOs</b>	172
<i>Jens Anders, University of Ulm</i>	
<b>A new concept for fast field-cycling MRI and localized relaxometry</b>	173
<i>Esteban Anoardo, Universidad Nacional de Córdoba</i>	
<b>Searching for Dark matter with Zero-field NMR</b>	174
<i>Garcon Antoine, Johannes Gutenberg Universitat, Mainz, Germany</i>	
<b>NMR, Meet Dark Matter: Progress of the Cosmic Axion Spin Precession Experiment (CASPER)</b>	175
<i>John Blanchard, Helmholtz-Institut Mainz</i>	
<b>Preliminary results – using a Cryogen-Free 9.4 T dissolution-DNP Polarizer</b>	176
<i>Geoffrey Bodenhausen, Ecole Normale Supérieure</i>	
<b>MicrogramNMR: MACS applied to a single membrane and thin film</b>	177
<i>Christian Bonhomme, UPMC</i>	
<b>X-band pulsed electron paramagnetic resonance spectrometer with 50 ps time resolution</b>	178
<i>Yingqiu Dai, University of Science and Technology of China</i>	
<b>Local detection of NMR up to 0.7 T by magnetoresistive sensors</b>	179
<i>Andrin Doll, SPEC, CEA Saclay</i>	
<b>Tapered optical fiber to enhance sensitivity and spatial resolution of fiber-based diamond Nitrogen-Vacancy center magnetometer</b>	180
<i>Dewen Duan, Max-planck institute for biophysical chemistry</i>	
<b>Extension of nuclear spin T<sub>1</sub> by precipitation and dissolution</b>	181
<i>James Eills, University of Southampton</i>	
<b>Scalar relaxation and proton lineshapes of small molecules in fullerene cages</b>	182
<i>Stuart Elliott, University of Southampton</i>	
<b>High sensitivity magnetometry for Cosmic Axion Spin Precession Experiment (CASPER) in low fields</b>	183
<i>Martin Engler, Johannes Gutenberg University, Mainz, Germany, Helmholtz Institut-Mainz, Germany</i>	
<b><sup>1</sup>H NMR at Larmor frequencies down to 3 Hz by means of Field-Cycling techniques</b>	184
<i>Franz Fajara, TU Darmstadt</i>	

<b>A chirality-sensitive NMR effect</b>	
<i>Piotr Garbacz, University of Warsaw</i>	185
<b>Spin Isomer Conversion in Water Endofullerene at Room Temperature</b>	
<i>Karel Kouril, University of Southampton</i>	186
<b>New Pathways to High Pressure NMR in Diamond Anvil Cells</b>	
<i>Thomas Meier, Baarian Geoinstitute, University of Bayreuth</i>	187
<b>Atomic Gradiometer for Zero-Field Nuclear Magnetic Resonance</b>	
<i>Jiang Min, Johannes Gutenberg University Mainz, Helmholtz-Institut Mainz, University of Science and Technology of China</i>	188
<b><sup>23</sup>Na rheo-NMR of bile salt micelles</b>	
<i>Galina Pavlovskaya, University of Nottingham</i>	189
<b>Toward optical detection of zero- and ultra-low field nuclear magnetic resonance</b>	
<i>Szymon Pustelny, Jagiellonian University</i>	190
<b>Ultra-High Field NMR magnet development - past and future challenges</b>	
<i>Gerhard Roth, Bruker BioSpin GmbH</i>	191
<b>Low-noise transduction of magnetic resonance signals from pick-up coil to optical domain</b>	
<i>Anders Simonsen, Niels Bohr Institute</i>	192
<b>Towards endoscopic magnetic field sensors based on diamonds for biomedical applications</b>	
<i>Arne Wickenbrock, Johannes Gutenberg University Mainz</i>	193
<b>Universal Quantum Control with Zero-field Nuclear Magnetic Resonance</b>	
<i>Teng Wu, Helmholtz Institute of Mainz, Johannes Gutenberg University Mainz</i>	194
<b>Using Quasioptics and EPR to Optimize mm-wave fields in DNP NMR probes</b>	
<i>Kurt Zilm, Yale University</i>	195

---

## **Hyperpolarization** **196**

<b>Quantitative kinetics of Pentose Phosphate Pathway enzymatic cascades by dissolution Dynamic Nuclear Polarization (D-DNP)</b>	
<i>Daniel Abergel, Ecole Normale Supérieure</i>	197
<b>Alignment of <sup>17</sup>O enriched H<sub>2</sub>O@C<sub>60</sub> Endofullerene in a Liquid Crystal Matrix</b>	
<i>Shamim Alom, University of Southampton</i>	198
<b>Hyperpolarized Water with Photo-Induced Non-Persistent Radicals on a "SpinLab-like" dissolution-DNP Polarizer</b>	
<i>Jan Ardenkjaer-Larsen, Technical University of Denmark</i>	199
<b>Complete Structural Assignment of a Pharmaceutical Drug by Combining DNP-Enhanced Solid-State NMR and DFT Calculations</b>	
<i>Maria Baías, New York University Abu Dhabi</i>	200
<b>Electron Decoupling with Frequency Agile Gyrotrons, Fluorescent Biradical Polarizing Agents, and DNP in Human Cells</b>	
<i>Alexander Barnes, Washington University in St. Louis</i>	201
<b>Improving the sensitivity of DNP NMR of microcrystalline solids by flip-back recovery of bulk proton magnetization</b>	
<i>Snaedis Björgvinsdóttir, Ecole Polytechnique Federale de Lausanne</i>	202

<b>Dynamic Nuclear Polarization coupled with rapid Dissolution: from technology to new science</b>	
<i>Geoffrey Bodenhausen, Ecole Normale Supérieure</i>	203
<b>dDNP as an emerging real time analytical method for catalytic reactions</b>	
<i>Peter Andreas Boeg, Technical University of Denmark</i>	204
<b>DNP and spin diffusion in hydroxyapatite: modeling and application to natural abundance <math>^{43}\text{Ca}</math> DNP MAS experiments</b>	
<i>Christian Bonhomme, Laboratoire de Chimie de la Matière Condensée de Paris</i>	205
<b>Multi-Field Cryogen Free Dissolution-DNP at 3.35, 6.70, and 10.05 T</b>	
<i>Sean Bowen, Technical University of Denmark</i>	206
<b>A narrow line UV-induced non-persistent radical in view of generating highly polarized transportable glucose solid samples</b>	
<i>Andrea Capozzi, DTU-HYPERMAG</i>	207
<b>DNP in Rotating Solids sans Depolarization</b>	
<i>Gaël De Paëpe, INAC (CEA - Université Grenoble Alpes)</i>	208
<b>Overhauser dynamic nuclear polarization in liquids at 14.1 T</b>	
<i>Thierry Dubroca, NHMFL</i>	209
<b>Design, Synthesis and Evaluation of Deuterated Nicotines for Use in MRI</b>	
<i>William Duckworth, The University of York</i>	210
<b>Investigating the hyperpolarisation and long-lived states of thienopyridazine and pyridazine derivatives using SABRE</b>	
<i>Elizabeth Fear, University of York</i>	211
<b>An optical <math>^{129}\text{Xe}</math> hyperpolarizer for the Cosmic Axion Spin Precession Experiment (CASPER)</b>	
<i>Nataniel Figueroa, Johannes Gutenberg Universität Mainz</i>	212
<b>TR CIDNP study of transient guanosyl cation radical formation in neutral aqueous solution</b>	
<i>Natalya Fishman, International Tomography Center SB RAS</i>	213
<b><math>T_1</math> feasibility studies for hyperpolarised <math>^{31}\text{P}</math> NMR</b>	
<i>David Gadian, UCL</i>	214
<b>Preparation and characterization of Hyperpolarized <math>^{129}\text{Xe}</math> for the Cosmic Axion Spin Precession Experiment</b>	
<i>Marina Gil Sendra, Johannes Gutenberg Universität</i>	215
<b>Selective DNP signal amplification to probe the surface functionalization of complex cellulose materials</b>	
<i>Torsten Gutmann, TU Darmstadt</i>	216
<b>Application of Dissolution Dynamic Nuclear Polarization for Determination of Molecular Structure and Dynamics</b>	
<i>Christian Hilty, Texas A&amp;M University</i>	217
<b>Sensitive detection of level anti-crossing spectra of nitrogen-vacancy centers in diamond crystals</b>	
<i>Konstantin L. Ivanov, International Tomography Center, Siberian Branch of the Russian Academy of Science, ITC SB RAS</i>	218
<b>Dynamic nuclear polarization enhanced biomolecular NMR spectroscopy at high magnetic field with fast magic-angle spinning</b>	
<i>Kristaps Jaudzems, Institut des Sciences Analytiques, CRMN</i>	219

<b>What Limits Nuclear Spin Singlet State Life Times?</b> <i>Alexej Jerschow, New York University</i>	220
<b>Observation of Long-Lived Deuterium Spin State Imbalance in Deuterated Methylene and Methyl Groups by Dissolution DNP</b> <i>Aditya Jhajharia, École Normale Supérieure Paris</i>	221
<b>Hyphenation of Supercritical Fluid Chromatography and (Hyperpolarized) NMR Spectroscopy</b> <i>Arno Kentgens, Radboud University, Institute for Molecules and Materials</i>	222
<b>Unusual partially negative line of H<sub>2</sub> in PHIP experiments allows indirect detection of catalytic hydrogen complexes</b> <i>Alexey Kiryutin, Technische Universität Darmstadt, Eduard-Zintl-Institute für Anorganische und Physikalische Chemie, Darmstadt, Germany</i>	223
<b>Repolarization of nuclear spins at high magnetic fields using the SABRE-INEPT method</b> <i>Stephan Knecht, University Medical Center Freiburg</i>	224
<b>Proton detection of <sup>13</sup>C hyperpolarization</b> <i>Felix Kreis, Cancer Research UK Cambridge Institute, University of Cambridge</i>	225
<b>The validity of a theoretical model describing the electron depolarization and the DNP spectrum during static DNP experiments</b> <i>Krishnendu Kundu, Post Doctoral Fellow</i>	226
<b>Casting Light on Intrinsically Disordered Proteins by Dissolution DNP and Exchange with Hyperpolarized Water</b> <i>Dennis Kurzbach, Ecole Normale Supérieure Paris</i>	227
<b>Hyperpolarizing Water with para-Hydrogen</b> <i>Sören Lehmkuhl, ITMC RWTH Aachen University</i>	228
<b>SABRE NMR and MRI of Pyrimidines</b> <i>Jennifer Lewis, University of York</i>	229
<b>Study of paramagnetic effects in DNP NMR using Gadolinium-terpyridine complexes</b> <i>Aany Sofia Lilly Thankamony, Goethe University, Frankfurt</i>	230
<b>Probing of biochemical pathways in clonal pancreatic β-cells by quantitative dDNP of metabolite extracts</b> <i>Ronja Malinowski, Technical University of Denmark</i>	231
<b>Optimization and quantification of the BDPA radical formation</b> <i>Sucharita Mandal, University of Iceland</i>	232
<b>Hyperpolarized ultrafast Laplace NMR</b> <i>Otto Mankinen, University of Oulu - NMR Research Unit</i>	233
<b>Rapid Transfer DNP: Towards fast, reliable and scalable dissolution DNP</b> <i>Benno Meier, University of Southampton</i>	234
<b>Chiral recognition by dissolution DNP <sup>13</sup>C NMR spectroscopy of DL-[1-<sup>13</sup>C] methionine</b> <i>Eva Monteagudo, Universitat Autònoma de Barcelona</i>	235
<b>Optical dynamic nuclear spin polarization at room temperature using Nitrogen-Vacancy centers</b> <i>Samuel Müller, Ulm University, Institute of Quantum Optics</i>	236
<b>Selective <sup>2</sup>H Labelling to Achieve Enhanced SABRE Hyperpolarization and Signal Lifetimes</b> <i>Philip Norcott, University of York</i>	237

<b>SABRE Hyperpolarisation of <math>^{19}\text{F}</math> Nuclei</b>	238
<i>Alexandra Olaru, The University of York</i>	
<b>High <math>^{13}\text{C}</math>-Overhauser DNP enhancements at high and low magnetic fields</b>	239
<i>Tomas Orlando, Max Planck Institute for Biophysical Chemistry, Göttingen, Germany</i>	
<b>Optimized adiabatically switched RF-fields: a new instrument in the hyperpolarized NMR toolbox</b>	240
<i>Andrey Pravdivtsev, International Tomography Center, Novosibirsk State University</i>	
<b><math>^{19}\text{F}</math> NMR Signal Enhancement by Effective <math>^{19}\text{F}</math> SABRE Labeling of Oligopeptides</b>	241
<i>Tomasz Ratajczyk, Institute of Physical Chemistry Polish Academy of Sciences</i>	
<b>SABRE-DOSY: resolution of low-<math>\mu\text{M}</math> mixtures by parahydrogen hyperpolarization</b>	242
<i>Indrek Reile, National Institute of Chemical Physics and Biophysics / Radboud University</i>	
<b>Multidimensional <math>^1\text{H}</math> and <math>^{13}\text{C}</math> benchtop NMR spectroscopy with SABRE hyperpolarisation</b>	243
<i>Peter Richardson, University of York</i>	
<b>SABRE Field Cycling in an Automated Environment</b>	244
<i>Philipp Rovedo, University Medical Center Freiburg</i>	
<b>Parahydrogen-induced polarization of propane in high and low magnetic fields</b>	245
<i>Oleg Salnikov, International Tomography Center SB RAS</i>	
<b>A Cost-Efficient and Fast Technique of Achieving Sustainable Nuclear Spin Hyperpolarization at <math>^1\text{H}</math> and <math>^{13}\text{C}</math></b>	246
<i>Soumya Singha Roy, University of York</i>	
<b>Continuous-flow system using SABRE hyperpolarization</b>	247
<i>Petr Štěpánek, University of Oulu</i>	
<b>(Hyper)Polarisation transfer from scalar order to heteronuclear magnetisation</b>	248
<i>Gabriele Stevanato, Ecole Polytechnique Federale de Lausanne</i>	
<b>Increasing the sensitivity of intrinsically disordered protein NMR using hyperpolarized water</b>	249
<i>Or Szekely, Weizmann Institute of Science</i>	
<b>Rapid-melt DNP</b>	250
<i>Bas van Meerten, Radboud University</i>	
<b>Low RF-field strength cross polarization combined with photo-induced non-persistent radicals for clinically applicable dDNP</b>	251
<i>Joachim M. Vinther, Technical University of Denmark</i>	
<b>One- and two-dimensional high-resolution NMR from flat surfaces</b>	252
<i>Brennan Walder, Ecole Polytechnique Federale de Lausanne</i>	
<b>Hyperpolarization at very low temperature employing nitroxide radicals: anisotropic electron spin relaxation</b>	253
<i>Emmanuelle Weber, Ecole Normale Supérieure de Paris (ENS)</i>	
<b>Nonlinearities in Dynamic Nuclear Polarisation: solid-state NMR MASER and chaotic behaviour</b>	254
<i>Emmanuelle Weber, Ecole Normale Supérieure de Paris (ENS)</i>	
<b>Enhancement of NMR signal through Overhauser Effect in 0.23T MRI scanner</b>	255
<i>Michał Wieteska, Warsaw University of Technology, Mossakowski Medical Research Center</i>	
<b>BDPA-Nitroxide Biradicals for DNP NMR at High Field and Fast MAS</b>	256
<i>Dorothea Wisser, Institut des Sciences Analytiques, Université de Lyon (CNRS/ENS Lyon/UCB Lyon 1)</i>	



<b>High field <math>^{13}\text{C}</math> dynamic nuclear polarization in nanodiamonds</b>	
<i>Dongyoung Yoon, Ecole Polytechnique Federale de Lausanne</i>	257
<b>Production of parahydrogen-induced polarization using metal-free catalytic systems: current progress</b>	
<i>Vladimir V. Zhivonitko, International Tomography Center SB RAS</i>	258
<hr/>	
<b>Liquids small molecules, metabolomics, pharma</b>	<b>259</b>
<b>Two- and Three-Centered Hydrogen Bonds Involving Organic Fluorine Stabilize Conformations of Hydrazide Halo Derivatives: NMR and Theoretical Evidence</b>	
<i>Lakshmipriya Anamalaundam, NMR Research Centre, Solid State and Structural Chemistry Unit, Indian Institute of Science,</i>	260
<b>Computer assisted structure elucidation of two biflavonoids from the leaves of <i>Ochna mauritiana</i></b>	
<i>Dimitris Argyropoulos, ACD/Labs</i>	261
<b>Plasma metabolomics in ischemic and preischemic rats, NMR study</b>	
<i>Eva Baranovicova, BioMed, Division of Neuroscience, JLF UK Martin, Slovakia</i>	262
<b>Conformational equilibria controlled by intermolecular interactions</b>	
<i>Kateřina Bártov, Institute of Organic Chemistry and Biochemistry of the CAS</i>	263
<b>Synthesis of new functional indoline dyes possessing N-(2-cyanobenzyl) moiety and their NMR structural analysis</b>	
<i>Aurimas Bieliauskas, Institute of Synthetic Chemistry</i>	264
<b><math>^1\text{H}</math> NMR metabolomics of serum for the real-time monitoring of response to chemoradiotherapy in head and neck cancer patients – preliminary results</b>	
<i>Łukasz Boguszewicz, Maria Skłodowska-Curie Memorial Cancer Center and Institute of Oncology, Gliwice Branch, Gliwice, Poland</i>	265
<b>A toolbox of homonuclear experiments providing simplified and highly resolved spectra</b>	
<i>Marta Brucka, University of Geneva</i>	266
<b>New solution NMR methods and applications: absolute minimal sampling, metabolomics, and IDP-nanoparticle interactions</b>	
<i>Rafael Brüschweiler, The Ohio State University</i>	267
<b>Burst-Sampled NUS in the Direct Dimension –Providing Sensitivity, Resolution and Speed</b>	
<i>Craig Butts, University of Bristol</i>	268
<b>NMR characteristics of <math>\alpha</math>-D-Man-(1<math>\rightarrow</math>2)-D-Man and <math>\alpha</math>-D-Man-(1<math>\rightarrow</math>3)-D-Man mannobioses related to <i>Candida albicans</i> yeast mannan structures</b>	
<i>Peter Bystrický, JLF UK Martin</i>	269
<b>NMR analysis of counterfeit medicinal drugs</b>	
<i>Fabio Casagrande, F. Hoffmann-La Roche Ltd</i>	270
<b>Structure studies of human catechol O-methyltransferase complexes by <math>^1\text{H}</math>, <math>^{15}\text{N}</math>, <math>^{13}\text{C}</math> NMR and crystallography.</b>	
<i>Sylvia Czarnota, The University of Manchester</i>	271
<b>NMR-based metabolic profiling assisted by deep neural network</b>	
<i>Yasuhiro Date, RIKEN CSRS</i>	272

<b><sup>3</sup>JCH – relating scalar coupling constants to 3D molecular structure in solution</b>	273
<i>Claire Dickson, Univeristy of Bristol</i>	
<b>Chemical exchange in H<sub>2</sub>O/D<sub>2</sub>O mixtures</b>	274
<i>Petr Dvorak, Charles University, Faculty of Mathematics and Physics</i>	
<b>A NMR-based metabolomics study of acute kidney injury of humans and zebrafish</b>	275
<i>Philipp-Michael Eisenmann, Karlsruhe Institute of Technology</i>	
<b>Metabolism in haematological cancer cells</b>	276
<i>Zuhal Eraslan, UNIVERSITY OF BIRMINGHAM</i>	
<b>Allosteric Modulators of PAK Kinases by Fragment- Based Drug Design</b>	277
<i>Cesar Fernandez, Novartis Institutes for Biomedical Research</i>	
<b>Magnetic field effect on electrochemical reactions monitored in situ by high field NMR spectrometers</b>	278
<i>Bruna Ferreira Gomes, Universidade de São Paulo - USP/ RWTH-Aachen University</i>	
<b>Multivariate analysis of the effects of temperature, nitrogen and sulfur deposition on 2D <sup>13</sup>C–<sup>1</sup>H HSQC NMR spectra of four vegetation species from a boreal mire</b>	279
<i>João Figueira, Umeå University Scilife Lab</i>	
<b>Dynamical regimes of lipids in aditivated liposomes with enhanced elasticity</b>	280
<i>Carla Cecilia Fraenza, IFEG-CONICET</i>	
<b>Characterization of molecular dynamics and elastic properties of flexible liposomes membranes using Fast-Field-Cycling NMR</b>	281
<i>Carla Cecilia Fraenza, IFEG-CONICET</i>	
<b>Quantitative nOes allow the assignment of the stereochemistry of three diastereomers of a tricyclic compound; statistical analysis of the confidence in the results; when MM calculations suffice</b>	282
<i>Ion Ghiviriga, University of Florida</i>	
<b>Ultrafast 2D NMR: an analytical tool for small molecules at low and high magnetic field</b>	283
<i>Patrick Giraudeau, University of Nantes</i>	
<b>Cross-linked Poly(ethylene glycol) Diacrylate Gel – A universal Alignment Medium for the Determination of Anisotropic Parameters</b>	284
<i>Thomas Gloge, KIT</i>	
<b>Metabolic changes in the serum of chronic HBV patients investigated by <sup>1</sup>H NMR spectroscopy</b>	285
<i>Dariusz Gołowicz, Biological and Chemical Research Centre, Faculty of Chemistry, University of Warsaw, Warsaw, Poland</i>	
<b>Benchtop Ultrafast 2D NMR for high-throughput authentication of food samples</b>	286
<i>Boris Gouilleux, University of Nantes</i>	
<b>Quantitative NMR using Low Gamma Nuclei</b>	287
<i>James Hook, University of New South Wales</i>	
<b>Natural abundance <sup>13</sup>C isotopomics</b>	288
<i>Tangi Jezequel, University of Nantes</i>	
<b>A homochiral Polyglutamate with mesogenic sidechains as enantiodifferentiating alignment medium in NMR spectroscopy</b>	289
<i>Sharon Jeziorowski, TU Darmstadt</i>	

<b>Structure, dynamics, and RNA binding of translation initiation factor 1 from <i>Staphylococcus aureus</i></b>	
<i>Sung-Min Kang, College of Pharmacy, Seoul National University</i>	290
<b>Fully automated workflow for quantitative NMR</b>	
<i>Rainer Kerssebaum, Bruker BioSpin</i>	291
<b>Spatial structure and conformational state of small flexible molecules by 2D NOESY</b>	
<i>Ilya Khodov, G. A. Krestov Institute of Solution Chemistry, Russian Academy of Sciences (ISC RAS)</i>	292
<b>Chemoinformatics approach for composition and structure analysis in metabolic mixture</b>	
<i>Jun Kikuchi, RIKEN</i>	293
<b><math>^{15}\text{N}</math> NMR chemical shifts of binuclear platinum(III) acetamidate complexes with 2,2'-bipyridine and 1,10-phenanthroline</b>	
<i>Gayana A. Kirakosyan, Kurnakov Institute of General and Inorganic Chemistry, Russian Academy of Sciences</i>	294
<b>NMR-aided differentiation of enantiomers: Signal enantioresolution</b>	
<i>Lars Kuhn, University of Leeds</i>	295
<b>NMR Identification of the Widespread Existence of Fatty Acyl Glycosides</b>	
<i>Rensheng Luo, university of missouri - st louis</i>	296
<b><math>^1\text{H}</math> NMR based metabolomics as a comprehensive tool in investigation of pathomechanisms in thyroid and hematological cancers</b>	
<i>Piotr Młynarz, Wrocław University of Science and Technology</i>	297
<b>NMR characterization of integrin <math>\alpha\text{V}\beta 6</math>/Chromogranin A<sub>39-63</sub> interaction</b>	
<i>Francesca Nardelli, Università Vita-Salute San Raffaele</i>	298
<b>Homo- and hetero-nuclear relayed FLEX: Detecting non-labile nuclei by FT NMR of a water resonance</b>	
<i>Mihajlo Novakovic, Weizmann Institute of Science</i>	299
<b>Metabolomic profiling of obesity in 99 young adult men by <math>^1\text{H}</math> NMR spectroscopy</b>	
<i>Kamila Osadnik, Centre of Polymer and Carbon Materials Polish Academy of Sciences</i>	300
<b>Metabolomic investigations of <i>Hymenoptera</i> venom immunotherapy using <math>^1\text{H}</math> NMR</b>	
<i>Alicja Pakiet, Wrocław University of Science and Technology</i>	301
<b>Mutual Diffusion NMR: Progress and Perspectives</b>	
<i>Christian Pantoja, Universidad Del Valle</i>	302
<b>Accurate measurement of homonuclear and heteronuclear coupling constants from highly resolved HSQC spectra</b>	
<i>Teodor Parella, Servei RMN - Univ Autònoma Barcelona</i>	303
<b>Solution Structure of AIP4 WW2 domain and its interaction with LMP2A PY motifs of Epstein-Barr Virus</b>	
<i>Jin Young Park, Seoul National University</i>	304
<b>What can we learn from the NMR spectroscopy combined with laser photolysis? Study on molecules containing anthrone and naphthalene subunits</b>	
<i>Mariusz Pietrzak, Institute of Physical Chemistry, Polish Academy of Sciences</i>	305
<b><math>^{13}\text{C}</math> CP MAS NMR in analysis of solid drug formulation with low concentration of active ingredients</b>	
<i>Dariusz Pisklak, Department of Physical Chemistry, Faculty of Pharmacy, Medical University of Warsaw</i>	306

<b>Tautomerism of nucleobases studied by low-temperature solution NMR</b> <i>Radek Pohl, IOCB Prague</i>	307
<b>Metallated sulfanyl porphyrazines as potential building blocks for biomedicine and nanotechnology – NMR and physicochemical studies</b> <i>Łukasz Popenda, NanoBioMedical Centre, Adam Mickiewicz University in Poznań</i>	308
<b>Nanoparticle-small molecule recognition mimics protein-ligand interactions</b> <i>Federico Rastrelli, University of Padua, Dept. of Chemical Sciences</i>	309
<b>Sign sensitive measurement of <math>^2J_{CH}</math> couplings for the determination of residual dipolar couplings</b> <i>Malin Reller, KIT</i>	310
<b>Real-Time Cell Metabolism by NMR</b> <i>Jennie Roberts, University of Birmingham</i>	311
<b>Metabolism in liver disease</b> <i>Raquel Saborano, University of Birmingham</i>	312
<b>Surface-active properties of antimicrobial lipopeptides</b> <i>Emilia Sikorska, Faculty of Chemistry, University of Gdansk</i>	313
<b>Procedures to improve the EC-NMR coupling</b> <i>Carlos Manuel Silva Lobo, Universidade de São Paulo - USP/RWTH-Aachen University</i>	314
<b>High-resolution in 2D spectra: Chemical shift encoding in the indirect dimension and spectral reconstruction</b> <i>Eduard Sistaré Guardiola, University of Geneva</i>	315
<b>Determination of <math>^{13}C</math>-<math>^{13}C</math> coupling constants in polycyclic aromatic compounds.</b> <i>Jan Sykora, Institute of Chemical Process Fundamentals of the CAS</i>	316
<b>Self-induced recognition of enantiomers in NMR spectroscopy from a peculiar perspective</b> <i>Csaba Szántay, Gedeon Richter Plc.</i>	317
<b>New NMR methods and useful tools for metabolomics</b> <i>Istvan Timari, The Ohio State University</i>	318
<b>Molecular interactions of Ab1-42 with N-terminal truncated beta amyloids and with the Prion protein PrPc 90-231</b> <i>Simona Tomaselli, ISMAC-NMR-CNR</i>	319
<b>Pyrimidine favored recognition by RRM1 of PfSR1 protein involved in alternate splicing in malaria parasite</b> <i>Garima Verma, International Centre for Genetic Engineering and Biotechnology</i>	320
<b>3 in 1 - Distinction of different hematologic malignancies based on serum proton NMR metabolomics.</b> <i>Wojciech Wojtowicz, Wroclaw University of Science and Technology</i>	321
<b>InterSpin: Database and webtool for small to macromolecular mixture analysis</b> <i>Shunji Yamada, RIKEN</i>	322
<b>Simplifying NMR spectra by interrupted acquisition.</b> <i>Klaus Zangger, University of Graz</i>	323
<b>Structure-based Design of Novel Inhibitors of Sigma-1 Receptor</b> <i>Diana Zelencova, Latvian Institute of Organic Synthesis</i>	324

## Methods liquids&solids

**325**

### **<sup>71</sup>Ga-<sup>77</sup>Se connectivities and proximities in gallium selenide materials probed by solid-state NMR**

*Jean-Paul Amoureux, Bruker*

326

### **Trimethylsilyl tag for the characterisation of protein-ligand interactions by NMR**

*Walter Becker, University of Graz, Institute of Chemistry*

327

### **Compact NMR: Applications from today and for tomorrow**

*Bernhard Blümich, ITMC / RWTH Aachen Univerity*

328

### **Advances in the detection of nitrogen<sup>14</sup> with improved resolution**

*Marina Carravetta, University of Southampton*

329

### **REST and multivariate NMR methods in beer analysis**

*Guilherme Dal Poggetto, University of Manchester*

330

### **Quick and sensitive serial NMR experiments with Radon transform**

*Rupashree Dass, University of Warsaw*

331

### **NMR and EPR study of paramagnetic d-metal terpyridine complexes**

*Gleb Denisov, INEOS RAS*

332

### **NMRlib 2.0: User-friendly pulse sequence tools for Bruker NMR spectrometers**

*Adrien Favier, CNRS*

333

### **NMR methods to characterize intrinsically disordered proteins**

*Isabella C. Felli, CERM and Department of Chemistry U. Schiff, University of Florence*

334

### **Site-specific longitudinal, transverse and cross-relaxation rates measured at 0.33 T in a protein**

*Fabien Ferrage, CNRS and Ecole normale supérieure*

335

### **Disentangling scalar coupling patterns by real-time SERF NMR**

*Nina Gubensäk, University of Graz*

336

### **Semi-automated NMR Assignment of Oligosaccharides based on novel Clip-cosy Correlation Experiments**

*Tamás Gyöngyösi, Department of Inorganic Chemistry, University of Debrecen, Egyetem tér 1, H-4032 Debrecen, Hungary*

337

### **Improved lanthanide chelating tags for *in vitro* and *in cellulo* pseudo-contact shift NMR spectroscopy**

*Daniel Häussinger, University of Basel, Department of Chemistry*

338

### **Site-directed spin labeling of a protein with Gd(III) for MAS NMR dynamic nuclear polarization**

*Jörg Heiliger, Björn Corzilius*

339

### **Alternative sampling and processing approaches to serial NMR experiments**

*Krzysztof Kazimierczuk, University of Warsaw*

340

### **Paramagnetic relaxation in solution: an overview (invited tutorial lecture)**

*Jozef Kowalewski, Stockholm University*

341

### **Billion-fold increase in NMR sensitivity and studies of metal-ion interaction with biomolecules**

*Magdalena Kowalska, CERN*

342

### **Broadband Pulses Revisited**

*Burkhard Luy, Karlsruhe Institute of Technology (KIT)*

343



<b>Recoupling schemes in solid-state NMR: Synchronous, non-synchronous, and for current MAS frequencies</b>	
<i>P. K. Madhu, TIFR, Mumbai, India</i>	344
<b>Prediction of Distribution of Pore Throat Diameter of Rocks by Low Resolution-Nuclear Magnetic Resonance and Chemometric Methods</b>	
<i>Daniel Ricardo Molina, Universidad Industrial de Santander</i>	345
<b>Ultraclean pure shift NMR: cyclic sideband suppression</b>	
<i>Pinelopi Moutzouri, The University of Manchester</i>	346
<b><sup>57</sup>Fe NMR of carbon coated iron Nanopowder</b>	
<i>Manjunatha Mushtagatte, Research Scholar</i>	347
<b>Correlation between spin-1/2 and quadrupolar nuclei: high robustness to Magic-Angle Spinning fluctuations</b>	
<i>Hiroki Nagashima, UCCS Univ. Lille</i>	348
<b>Accurate measurement of JHH in overlapped signals by a TOCSY-edited SERF Experiment</b>	
<i>Pau Nolis, Universitat Autònoma de Barcelona</i>	349
<b>Identification of non-intentionally added substances in packaging materials by Pure-Shift NMR</b>	
<i>Maria Oikonomou, Dow Chemical Company</i>	350
<b>Exploring the diffusion dynamics of triblock copolymer- gold nanoparticle systems using PFG-NMR spectroscopy</b>	
<i>Jyotsana Ojha, Indian Institute of Science Education and Research Mohali India</i>	351
<b>Non-uniform sampling: concepts and algorithms</b>	
<i>Vladislav Orekhov, University of Gothenburg</i>	352
<b><sup>1</sup>H-<sup>31</sup>P CPVC NMR method under Very Fast Magic Angle Spinning for analysis of dipolar interactions and dynamics processes in the crystalline phosphonium tetrafluoroborate salts</b>	
<i>Piotr Paluch, The Centre of Molecular and Macromolecular Studies</i>	353
<b>Probing translational dynamics in the long-time limit via singlet-enhanced diffusion NMR</b>	
<i>Giuseppe Pileio, University of Southampton</i>	354
<b>4D NMR for sequential assignments of RNAs</b>	
<i>Saurabh Saxena, University of Warsaw</i>	355
<b>MAS solid-state NMR: Asynchronous recoupling, decoupling and multiple data acquisition</b>	
<i>Kshama Sharma, TIFR Centre for Interdisciplinary Sciences</i>	356
<b>Towards online processing and analysis system for time-resolved NUS</b>	
<i>Alexandra Shchukina, University of Warsaw</i>	357
<b>Investigation of structural dynamics of the water network in the active site of 29 kDa Human Carbonic anhydrase II with solution and solid state NMR</b>	
<i>Himanshu Singh, Ludwig Maximilians University</i>	358
<b>Measuring <sup>1</sup>H-<sup>1</sup>H couplings with 2D J-resolved experiments based on BIRD</b>	
<i>Davy Sinnaeve, Ghent University</i>	359
<b>Information Content of Relaxation Data: New Approaches for Accurate Dynamics Analysis</b>	
<i>Albert Smith, ETH Zurich</i>	360

<b>Photo-Induced Manipulation of Relaxation Times</b>	
<i>Eduard Stadler, TU Graz</i>	361
<b>Capturing Excited States in the Fast-Intermediate Exchange Limit in Biological Systems Using <math>^1\text{H}</math> NMR Spectroscopy</b>	
<i>Emilie Steiner, Karolinska Institute</i>	362
<b>Structure and dynamics elucidation of ionic liquids by multidimensional Laplace NMR</b>	
<i>Ville-Veikko Telkki, University of Oulu</i>	363
<b>Joint non-uniform sampling of all incremented time delays for quicker acquisition in protein relaxation studies</b>	
<i>Mateusz Urbańczyk, University of Warsaw</i>	364
<b>A simultaneous multi-slice selective <math>J</math>-resolved experiment for fully resolved scalar coupling information</b>	
<i>Qing Zeng, Xiamen University</i>	365
<hr/>	
<b>MRI and in-vivo</b>	<b>366</b>
<b>Simulation infrastructure for quantum mechanical effects in magnetic resonance imaging</b>	
<i>Ahmed Allami, University of Southampton</i>	367
<b>MRI study of temperature responsive hydrogel networks based on <math>N</math>-isopropylacrylamide</b>	
<i>Karel Bernasek, Charles University, Faculty of Mathematics and Physics</i>	368
<b>Can the STE sequence be used to observe the bi-exponential IVIM model?</b>	
<i>Gabrielle Fournet, NeuroSpin, CEA Saclay</i>	369
<b>Correlation of transverse relaxation time with structure of biological tissue</b>	
<i>Gregory Furman, Physics Department, Ben Gurion University of the Negev</i>	370
<b>Stroboscopic RARE: Fluid flow imaging using multiple RARE experiments</b>	
<i>Petrik Galvosas, Victoria University of Wellington</i>	371
<b>Applications of Magnetic Resonance to Study Fluid Flows and Transport in Porous Media: Exploiting Undersampling in Magnetic Resonance</b>	
<i>Lynn Gladden, University of Cambridge</i>	372
<b>GlucoCEST: Using Chemical exchange to assess in vivo metabolism</b>	
<i>Xavier Golay, University College London</i>	373
<b>Redox imaging of skeletal muscle using in vivo DNP-MRI and its application to an animal model of local inflammation</b>	
<i>Fuminori Hyodo, Gifu University</i>	374
<b>Quantitative analysis of processes of demyelination in mouse brain ex vivo, based on methods of magnetic resonance imaging</b>	
<i>Katarzyna Korga, Instytut Fizyki Jądrowej PAN w Krakowie</i>	375
<b>Hyperpolarized Cardiovascular MR Imaging</b>	
<i>Sebastian Kozerke, ETH Zurich</i>	376
<b>Improving the detection of <math>J</math> coupling resonances at short and moderate echo times for in vivo rat MRS at 9.4 T</b>	
<i>Yanqin Lin, Xiamen University</i>	377

<b>Fast Field-Cycling Magnetic Resonance Imaging</b>	
<i>David J. Lurie, University of Aberdeen</i>	378
<b>In Vivo Metabolism of Hyperpolarized Pyruvate in Human Brain Tumor Patients</b>	
<i>Daniele Mammoli, UCSF</i>	379
<b>Susceptibility contrast by echo shifting in spatially encode single-scan MRI</b>	
<i>Sina Marhabaie, Ecole Normale Supérieure</i>	380
<b>Monatomic Spies for Molecular Imaging</b>	
<i>Thomas Meersmann, University of Nottingham</i>	381
<b>Imaging of liver fibrosis by Magnetization exchange-based MRI</b>	
<i>Gil Navon, Tel Aviv University</i>	382
<b>Relaxivity increased by interaction between therapeutic and contrasting components of theranostic paramagnetic liposomes</b>	
<i>Beata Wereszczyńska, NanoBioMedical Centre, Adam Mickiewicz University, Umultowska 85, 61-614 Poznań</i>	383
<b>ZTE imaging of hydrated rocks</b>	
<i>Władysław Węglarz, Institute of Nuclear Physics Polish Academy of Sciences</i>	384
<b>Hyperpolarised <sup>129</sup>Xe MRI - methods and applications</b>	
<i>Jim Wild, University of Sheffield</i>	385
<b>SPIO labeled GPR cells tracking by in-vivo MRI study of ALS model</b>	
<i>Tomasz Zalewski, NanoBioMedical Centre, Adam Mickiewicz University</i>	386

---

<b>Solids Materials</b>	<b>387</b>
-------------------------	------------

<b>Characterization of Catalytic Materials through a Facile Approach to Probe Surface OH Groups by Solid State NMR</b>	
<i>Andrey Andreev, Total Research &amp; Technology Feluy SA</i>	388
<b>Mobility of ammonia in cationic zeolites by means of deuterium NMR</b>	
<i>Artur Birczyński, Instytut Fizyki Jądrowej PAN</i>	389
<b>Solid-State NMR to Study Adsorption of Aqueous Salt Solutions in Porous Carbons</b>	
<i>Luca Cervini, Lancaster University</i>	390
<b>Investigation of water state and ion transport in Nafion 117 with broad range variable temperature solid state NMR and AC impedance</b>	
<i>Jen-Hao Cheng, National Sun Yat-sen University</i>	391
<b>Probing the CO<sub>2</sub> Binding Sites in a Porous-Organic Polymer by Combining Solid-State NMR and Calculations</b>	
<i>Michele R. Chierotti, University of Torino</i>	392
<b>Molecular rotors and motors studied by solid-state NMR spectroscopy</b>	
<i>Martin Dracinsky, IOCB Prague</i>	393
<b>First straightforward chemical evidence for keto-enol tautomerisation in a crystal lattice traced by solid API – deuterium oxide vapors contacts</b>	
<i>Marta Dudek, Center Of Molecular &amp; Macromolecular Studies PAS</i>	394
<b>Symmetry, dynamics, and defects in methylammonium lead halide perovskites</b>	
<i>Wouter Franssen, Radboud University</i>	395
<b>Assessing the Role of NMR Crystallography in Structure Verification of Organic Solids</b>	
<i>Paul Hodgkinson, Durham University</i>	396

<b>Structural and dynamical study of poly(styrene-b-dimethylsiloxane) block copolymers by means of NMR and dielectric spectroscopy</b>	
<i>Jacek Jenczyk, Nanobiomedical Centre, Adam Mickiewicz University</i>	397
<b>Probing supramolecular organisation of heterogeneous materials using NMR spectroscopy: from encapsulated pharmaceuticals to soft matter</b>	
<i>Yaroslav Khimyak, University of East Anglia</i>	398
<b>Inside Information on Xenon Adsorption in Porous Organic Cages by NMR</b>	
<i>Sanna Komulainen, University of Oulu</i>	399
<b>High-field NMR observation of proximities between <math>^1\text{H}</math> and quadrupolar nuclei provides new insights into the activity of heterogeneous catalysts</b>	
<i>Olivier Lafon, Univ. Lille</i>	400
<b>Mobility of ammonia in DY zeolite. A deuteron NMR study</b>	
<i>Zdzisław Lalowicz, Institute of Nuclear Physics PAS, Krakow</i>	401
<b>Solid-State NMR Studies of Local Structure and Dynamics of Imidazole in Proton-Conducting Alginic Acid-Imidazole Composite</b>	
<i>Motohiro Mizuno, Kanazawa University</i>	402
<b>NMR studies of chemically functionalized cellulose hydrogels: rheological and structural insights</b>	
<i>Juan C. Muñoz-García, University of East Anglia</i>	403
<b>Defect-driven ionic conductivity in tetragonal <math>\text{PbSnF}_4</math></b>	
<i>Miwa Murakami, Kyoto University</i>	404
<b>NMR and electron crystallography to address salt/cocrystal/continuum and polymorphs problem</b>	
<i>Yusuke Nishiyama, JEOL RESONANCE Inc.</i>	405
<b>Degradation behavior of thermally aged rubber diaphragms evaluated and predicted by solid-state NMR</b>	
<i>Kaori Numata, Tokyo Gas Co., Ltd.</i>	406
<b>Polymorphism in a Cobalt-Based Single-Ion Magnet Tuning Its Barrier to Magnetization Relaxation</b>	
<i>Alexander Pavlov, INEOS RAS</i>	407
<b>Solid-State Characterization of Crystalline Molecular Rotors with Steroidal Stators Combined with Aromatic and Fluoroaromatic Rotators</b>	
<i>Tomasz Pawlak, Centre of Molecular and Macromolecular Studies, Polish Academy of Science</i>	408
<b>The effect of constitutional isomerism on the crystal structure of the new <math>5\text{-HT}_{1A}</math> receptor ligands</b>	
<i>Edyta Pindelska, Medical University of Warsaw, Faculty of Pharmacy with the Laboratory Medicine Division</i>	409
<b>Dealumination of HY zeolite using an acidity characterization by ssNMR using trimethylphosphine as probe molecule</b>	
<i>Juan Carlos Poveda-Jaramillo, NMR Lab. Universidad Industrial de Santander</i>	410
<b>Studies of surfaces and interfacial regions of materials by dynamic nuclear polarization solid-state NMR</b>	
<i>Marek Pruski, Ames Laboratory and Iowa State University</i>	411
<b>Characterization of acid sites on <math>\gamma</math>-alumina and <math>\gamma</math>-alumina impregnated with metals oxides by adsorption of trimethylphosphine and acetonitrile</b>	
<i>Diego Fernando Rivera Barrera, Universidad Industrial de Santander</i>	412

<b>New Methods for Ultra-Wideline Solid-State NMR</b> <i>Rob Schurko, University of Windsor</i>	413
<b>Structural characterization and pharmaceutical properties of three novel cocrystals of ethenzamide with dicarboxylic acids</b> <i>Agnieszka Sokal, Medical University of Warsaw, Faculty of Pharmacy with the Laboratory Medicine Division, Department of Inorganic and Analytical Chemistry</i>	414
<b>NMR study of thermoresponsive poly(2-oxazoline) homopolymers and copolymers in D<sub>2</sub>O solutions</b> <i>Jiri Spevacek, Institute of Macromolecular Chemistry, Academy of Sciences of the Czech Republic</i>	415
<b>Imidazole-doped cellulose solid state proton conductor: from synthesis to conductive mechanism</b> <i>Jadwiga Tritt-Goc, Institute of Molecular Physics Polish Academy of Sciences</i>	416
<b>Local Structure Analysis of Proton-Conducting Imidazolium Decyldiphosphonate Crystal Using Solid-State NMR</b> <i>Ryota Une, Kanazawa University</i>	417
<b>Structural investigation of organic materials by dynamic nuclear polarisation solid-state NMR</b> <i>Stéphane Viel, Aix-Marseille University</i>	418
<b>Interaction of benzene and benzene derivatives with UiO-66(Zr) by solid-state NMR</b> <i>Marc Wagemann, RWTH Aachen University</i>	419
<b>Advances in MAS Technology and Applications</b> <i>Raiker Witter, School of Information Technologies Tallinn University of Technology, Tallinn, EST</i>	420
<b><sup>27</sup>Al solid-state NMR study of C12A7 electride synthesized inside carbon nanoreactors</b> <i>Ilya Yakovlev, Boreskov Institute of Catalysis</i>	421